Our Ref: 2018020583982

Dear Sirs,

<u>Re: Application No. R18/0186</u> <u>Site Address : Coventry Stadium Rugby Road Coventry CV8 3GJ</u>

With reference to the above planning application the Company's observations regarding sewerage are as follows.

Condition

The development hereby permitted shall not commence until drainage plans for the disposal of surface water and foul sewage have been submitted to and approved by the Local Planning Authority. The scheme shall be implemented in accordance with the approved details before the development is first brought into use.

Reason

To ensure that the development is provided with a satisfactory means of drainage as well as reduce the risk of creating or exacerbating a flooding problem and to minimise the risk of pollution.

Suggested Informative

Severn Trent Water advise that although our statutory sewer records do not show any public sewers within the area you have specified, there may be sewers that have been recently adopted under The Transfer Of Sewer Regulations 2011. Public sewers have statutory protection and may not be built close to, directly over or be diverted without consent and you are advised to contact Severn Trent Water to discuss your proposals. Severn Trent will seek to assist you obtaining a solution which protects both the public sewer and the building.

NB. We have clean water apparatus within the proposed application site, the developer will need to contact Severn Trent Water Developer Services Team as detailed below to assess their proposed plans for diversion requirements.

To request a water map please follow the link, <u>https://www.stwater.co.uk/building-and-</u> <u>developing/estimators-and-maps/request-a-water-sewer-map/</u>select "Water and / or Sewer map request form" fill out the relevant details and fee payment and return to:

Severn Trent Water, Asset Data Management, GISmapping Team, PO Box 5344, Coventry, CV3 9FT Fax: 02477 715862 e-mail: <u>GISmapping@severntrent.co.uk</u>

Any correspondence and diversion applications are to be submitted through Developer Services, the relevant form can be found on the Severn Trent website at <u>https://www.stwater.co.uk/building-and-developing/other-developments/diversions/</u>Please click on download water diversion application form and complete the form as fully as possible.

Information on diversion application charges can be found <u>https://www.stwater.co.uk/building-and-developing/regulations-and-forms/application-forms-and-guidance</u> in "Our Charges" - Developer Charges 2015-2016 in Section 5.

Please attach all the relevant documentation and relevant fee and return the form to:

Severn Trent Water Ltd PO Box 5311 Coventry CV3 9FL Telephone: 0800 707 6600 Email: <u>new.connections@severntrent.co.uk</u>

Should you require any further information please contact us on the telephone number or email below.

Yours Faithfully,

Asset Protection Waste Water East Wholesale Operations Severn Trent Water Ltd

Tel: 024 7771 6843 (reply to email:

Planning.APEast@severntrent.co.uk)

Severn Trent Plc (registered number 2366619) and Severn Trent Water Limited (registered number 2366686) (together the "Companies") are both limited companies registered in England & Wales with their registered office at Severn Trent Centre, 2 St John's Street, Coventry, CV1 2LZ This email (which includes any files attached to it) is not contractually binding on its own, is intended solely for the named recipient and may contain CONFIDENTIAL, legally privileged or trade secret information protected by law. If you have received this message in error please delete it and notify us immediately by telephoning +44 2477715000. If you are not the intended recipient you must not use, disclose, distribute, reproduce, retransmit, retain or rely on any information contained in this email. Please note the Companies reserve the right to monitor email communications

in accordance with applicable law and regulations.

To the extent permitted by law, neither the Companies or any of their subsidiaries,

nor any employee, director or officer thereof, accepts any liability whatsoever in relation to this email including liability arising from any external breach of security or $% \left({{{\left[{{{L_{\rm{B}}} \right]}} \right]_{\rm{B}}}} \right)$ confidentiality or for virus infection or for statements made by the sender as these are not necessarily made on behalf of the Companies.

Reduce waste! Please consider the environment before printing this email